

SE14-O-OFL



SE14-O-OFL



The SE14-O-OFL is a standalone depositor compatible with any production line. This model has dynamic hopper movement (detachable), an offline feature, easily maintained, and has swift product changeover.

Stationary mounted depositor, mainly for Aasted lines, with dynamic hopper movement and offline facility for easy cleaning and change of depositing parts.

The SE14 represents the ultimate depositor with its supreme build quality. All axes are servo driven and extremely strong for handling even the most difficult masses. A wide variety of piston diameters can be supplied to suit the smallest pralines or chips up to tablets with big inclusions. The hopper can be divided into multiple compartments for multi-color or one-shot depositing. The SE14 depositors have built-in lifting table with integrated mould shaking. The SE14 depositor is available for 700 and up to 1200 mm lines, working widths ranging from 580 to 1080 mm. Operation is very simple via the intuitive touch screen menu. Further the depositor can be connected to the internet, if any sort of support is needed.

UPS/EFU

- Easy cleaning and maintenance
- Low energy consumption
-
-
- Highly flexible and versatile
- Dynamic hopper movement



The Aasted Machinery Program

Find the technical specifications for the machine below.

	SE14-O- OFL 1000
Capacity (kg/hour)	16320
Length (mm)	2600
Width (mm)	2100
Height (mm)	850
Power usage (KwH)	29
Air usage (m3)	-
Water usage (m3)	0,013
Weight (kg)	32230

We have a broad portfolio of machinery and equipment

Beneath are listed products in the same category.

- test
- SE 13-O Belt
- SE14-Basic
- SE14-C-Basic
- SE14-C-DHD
- SE14-C-O
- SE14-C-O-DHD
- SE14-DHD
- SE14-O
- SE14-O-DHD
- SE14-O-OFL-DHD
- SE14-S-Basic