


Alice™ Z Manual Triple




Alice™ Z Manual Triple

With the triple head depositor, you can create one product with three different masses. Possibilities include deposited, extruded, and wire-cut configurations.

Choose the Alice™ Manual depositor in triple head configuration and you can combine up to three different masses into one extruded or wire-cut product. This configuration is used for multi color extrusion, multi color depositing and multi color drop fill depositing. The Z (up– down) movement is static during production but adjustable by an AC motor while offline. All other movements are servo driven and fully programmable. All programming is done from a color touch screen panel and can be adjusted in real time (except the Z-movement). The machine is easy to clean. The Alice™ hopper also makes it adaptable to quick product changes thanks to its off-line capability. Upgrade to the Z Servo Dynamic is possible.

UPS/EFU

- Preserves dough texture and structure
- Flexibility through modularity
- Unique cleaning with "hose-down" capability
- Large selection of innovative die tools
- Combines up to three different masses into one extruded, deposited or wire-cut product
- Gently handles dough with inclusions



The Aasted Machinery Program

Find the technical specifications for the machine below.

	Alice™ Z Manual Triple 1000	Alice™ Z Manual Triple 1200	Alice™ Z Manual Triple 600	Alice™ Z Manual Triple 800
Length (mm)	2188	2388	1788	1988
Width (mm)	1543	1543	1543	1543
Height (mm)	1878	1878	1878	1878
Power usage (KwH)	50	50	50	50
Air usage (m3)	75L/min. 6 bar/	75L/min. 6 bar/	75L/min. 6 bar/	75L/min. 6 bar/
Water usage (m3)	26L/h. /	32L/h. /	14L/h. /	20L/h. /

We have a broad portfolio of machinery and equipment

Beneath are listed products in the same category.

- Alice™ Z Manual Double
- Alice™ Z Manual Single