SuperNova Energy Basic







SuperNova Energy Basic



The model at the heart of all SuperNova Energy machines - the Basic has capabilities ranging from straight heat exchanging to the highly precise creation of Beta V crystals in high-quality chocolate masses.

With rising energy prices, and a worldwide push to be more environmentally friendly, the SuperNova Energy machine collection is the tempering solution of the 21st century. Our newly developed energy unit significantly reduces water and power consumption. The SuperNova Energy produces energy savings up to 50% of production costs compared to traditional tempering machines. Our innovative energy tempering process ensures entirely stable Beta V crystals in the chocolate. Our process also guarantees an extended crystallization period up to ten times longer than the standard, followed by continuous mixing and adjustable temperature controls. We also built upon the AMC SuperNova platform by developing a higher temperature output to improve even flow of the mass. Handling your chocolate mass has never been easier - even reduce the necessary cocoa butter and achieve the same results as with a traditional temperer.

UPS/EFU

- Up to 10 times longer crystallization period
- Smaller in size than traditional tempering machines
- Scandinavian design
- Stable Beta V crystals only
- Reduces operation costs at least 50%
- High output temperature





The Aasted Machinery Program

Find the technical specifications for the machine below.

	SuperNova Energy Basic 200	SuperNova Energy Basic 450	SuperNova Energy Basic 800	SuperNova Energy Basic 1000	SuperNova Energy Basic 1500	SuperNova Energy Basic 2200	SuperNova Energy Basic 3300
CapacityInKgPerHour	200	450	800	1000	1500	2200	3300
LengthInMM	1270	750	1690	1690	1915	1915	1690
WidthInMM	1007	1007	1032	1032	1915	1232	1032
HeightInMM	1732	1732	1812	1812	2315	2315	1812
WeightInKg	705	750	1465	1645	1770	2170	2410

CapacityInKgPerHour 4500 5500 8000 12000 LengthInMM 1915 1911 2252 2252 WidthInMM 1232 1232 1207 1207 HeightInMM 2317 2315 2896 3388 WeightInKg 3330 4380 4670 5940		SuperNova Energy Basic 4500	SuperNova Energy Basic 5500	SuperNova Energy Basic 8000	SuperNova Energy Basic 12000
WidthInMM 1232 1232 1207 1207 HeightInMM 2317 2315 2896 3388	CapacityInKgPerHour	4500	5500	8000	12000
HeightInMM 2317 2315 2896 3388	LengthInMM	1915	1911	2252	2252
ū	WidthInMM	1232	1232	1207	1207
WeightInKg 3330 4380 4670 5940	HeightInMM	2317	2315	2896	3388
	WeightInKg	3330	4380	4670	5940

We have a broad portfolio of machinery and equipment

Beneath are listed products in the same category.

- SuperNova Energy Basic Aeration
- SuperNova Energy CTS
- SuperNova Energy CTS Aeration
- SuperNova Energy PreTreat