

Alice™ C-Frame Triple



Alice™ C-Frame Triple

Choose the Alice™ depositor in triple head configuration and you can combine up to three different masses into one deposited, extruded or wire-cut product.

Choose this configuration if you wish to make fully controlled top deposits, complex deposits or extruded shapes. This configuration is used for multi color extrusion, multi color depositing (with or without filling) - to create sophisticated and innovative products. State-of-the art triple head configuration offers you advanced opportunities to lead in your market. The C-Frame design and integrated electrical cabinet gives you full flexibility. The frame permits easy set up over existing lines. The integrated conveyor uses X (side-to-side) movements. All programming is done from a color touch screen panel and can be adjusted in real time.

The machine is easy to clean. The Alice™ hopper also makes the depositor adaptable to quick product changes thanks to its offline capability.

UPS/EFU

- Sophisticated and innovative products
- Flexibility through modularity
- Large selection of die tools
-
-
-



The Aasted Machinery Program

Find the technical specifications for the machine below.

	Alice™ C-Frame Triple 600	Alice™ C-Frame Triple 400
Length (mm)	1867	1667
Width (mm)	1509	1509
Height (mm)	1889	1889
Power usage (KwH)	25	25
Air usage (m3)	75L/min. 6 bar / 4.5	75L/min. 6 bar / 4.5

We have a broad portfolio of machinery and equipment

Beneath are listed products in the same category.

- Alice™ C-Frame Double
- Alice™ C-Frame Single