


# SE 13-O Chain



# SE 13-O Chain




The SE 13-O Chain is a stationary mounted depositor. It has dynamic hopper movement and an offline feature for easy cleaning and to easily change depositing parts. Equipped with a built-in lifting table and integrated mold shaking.

Stationary mounted depositor with dynamic hopper movement and offline facility for easy cleaning and change of depositing parts. The SE13 represents the ultimate depositor with its supreme build quality. All axes are servo driven and extremely strong for handling even the most difficult masses. A wide variety of piston diameters can be supplied to suit the smallest pralines or chips up to tablets with big inclusions. The hopper can be divided into multiple compartments for multi-color or one-shot depositing. The SE13 depositors have built in lifting table with integrated mould shaking. The SE13 depositor is available for 700 and up to 1200 lines, working widths ranging from 570 to 1070mm however the depositor can be made to suit any existing lines as well. Operation is very simple via the intuitive touch screen menu. Further the depositor is able to connect to the internet, if any sort of support is needed.

## UPS/EFU

- Easy maintenance
- Easy cleaning
- Designed for medium-high capacity production lines
- Ensures optimum quality
- Servo driven
- Heavy-duty construction



# The Aasted Machinery Program

Find the technical specifications for the machine below.

SE 13	SE 13	SE 13
O-Chain	O-Chain	O-Chain
700	1000	1200

## We have a broad portfolio of machinery and equipment

Beneath are listed products in the same category.

- test
- SE 13-O Belt
- SE14-Basic
- SE14-C-Basic
- SE14-C-DHD
- SE14-C-O
- SE14-C-O-DHD
- SE14-DHD
- SE14-O
- SE14-O-DHD
- SE14-O-OFL
- SE14-O-OFL-DHD