

Master XXL Chocolate/Compound/Sugar Coating



Master XXL Chocolate/Compound /Sugar Coating



The Nielsen Master XXL Enrober is supplied in belt widths from 850 mm up to 2600 mm. Detachable lower section containing the chocolate service tank, enables rapid changeover and is suitable for all enrobing works. Suitable for high speed / high out-put productions 24/7.

The Master XXL enrober is installed at leading manufacturers around the world and is applied for a broad variety of products ranging from doughnuts to jam rolls and from cookies to candy bars. The Master XXL enrober is designed for high volume production of a wide range of products with many different quality demands. The Master XXL is suitable for total enrobing of for example candy bars or cake rolls with precise adjustment of coating thickness using a combination of blowers and shaker. Bottom enrobing of for example cereal bars and chocolate cookies or combined bottom and side enrobing is also made on the Master XXL. Finally partial or edge enrobing of for example biscuits or cakes can be made on the Master XXL by using special accessories to separate the chocolate curtain to include or exclude specific parts of the product. All the components of the Master XXL, including the frame and panels are made of corrosion resistant stainless steel. The Master XXL's operation panel is either an Allen Bradley or a Siemens PLC touch screen with programmable recipe feature, all dependent on the individual customer's preference. The machine is designed for 24 hour operation.

UPS/EFU

- Stainless steel and groundbreaking design
- Detachable lower section
- Documented reliability in three-shift operation
- Slow-running, temperature-neutral chocolate pumps
- Uniform coating of products
- Precision engineering



The Aasted Machinery Program

Find the technical specifications for the machine below.

	Master XXL 2200	Master XXL 2000	Master XXL 1050	Master XXL 2600	Master XXL 1500	Master XXL 850	Master XXL 1800
Capacity (kg/hour)	Belt width 2200	Belt width 2000	Belt width 1050	Belt width 2600	Belt width 1500	Belt width 850	Belt width 1800
Length (mm)	3000	3000	3000	3000	3000	3000	3000
Width (mm)	2855	2655	1855	2975	2255	1685	2455
Height (mm)	1900	1900	1900	1900	1900	1900	1900
Power usage (KwH)	20	20	20	20	20	20	20
Air usage (m3)	875 l/min	875 l/min	875 l/min				
Water usage (m3)	450 l/h	450 l/h	450 l/h				
Weight (kg)	3180	3060	2580	3300	2820	2460	2940

	Master XXL 1300
Capacity (kg/hour)	Belt width 1300
Length (mm)	3000
Width (mm)	2055
Height (mm)	1900
Power usage (KwH)	20
Air usage (m3)	875 l/min
Water usage (m3)	450 l/min
Weight (kg)	2700

We have a broad portfolio of machinery and equipment

Beneath are listed products in the same category.